

MANUFACTURING FACILITIES

FOR THE PRODUCTION OF

REDSTONE

AND

JUPITER

BALLISTIC MISSILES

OCTOBER, 1958

**CHRYSLER CORPORATION
MISSILE DIVISION**

FROM THE
FILES OF
C. W. WILLIAMS
PLEASE RETURN

CHRYSLER CORPORATION MISSILE DIVISION



This is the vast Chrysler-operated Michigan Missile Plant near Detroit, Michigan. Under this roof, the skill and experience of thousands of men and women are devoted to a single ultimate purpose -- producing reliable ballistic missiles.

CHRYSLER CORPORATION MISSILE DIVISION



To deliver completed, dependable missile weapons requires hundreds of proficient engineers. This photo reveals the engineering force responsible for product design (neg. 31538).

CHRYSLER CORPORATION MISSILE DIVISION



This view shows the plant's Master Mechanic's Office, together with Planning and Plant Engineering personnel (neg. 31537).

CHRYSLER CORPORATION MISSILE DIVISION



Up-to-date office equipment and efficient personnel are constantly on the job to keep this large operation functioning smoothly (neg. 31567).

CHRYSLER CORPORATION MISSILE DIVISION



Modern equipment in the Materials Control Laboratory exemplifies the intricate mechanisms vital to this highly-specialized missile manufacturing facility (neg. 31529).

CHRYSLER CORPORATION MISSILE DIVISION




Pictured here are some of the large force of toolmakers available to plant operations (neg. 31524).

CHRYSLER CORPORATION MISSILE DIVISION



Important to the success of missile production is this group of inspectors in the large Receiving area. Here, incoming component parts are checked with precision instruments before acceptance (neg. 31527).

CHRYSLER CORPORATION MISSILE DIVISION



Prefabricated nose cones are inspected thoroughly by Receiving personnel (neg. 31526).

CHRYSLER CORPORATION MISSILE DIVISION



Another example of Missile Division's special facilities is the X-ray Room. Complete testing of the missile's metal structure is conducted here (neg. 31500).

CHRYSLER CORPORATION MISSILE DIVISION



Pneumatic systems of JUPITER are checked out in this facility in a solidly-built, completely-equipped, enclosed area (neg. 31523).

CHRYSLER CORPORATION MISSILE DIVISION




An important operation is the hydrostatic testing of every missile shell. With this special rig, each shell is checked for tightness under heavy water pressure (neg. 31577).

CHRYSLER CORPORATION MISSILE DIVISION




Chrysler Missile Division has a well-equipped Machine Shop, complete with mills, drills, lathes, grinders, planers, and shapers. In the foreground are some of the various parts fabricated in the shop (neg. 31496).

CHRYSLER CORPORATION MISSILE DIVISION




One of the outstanding machines is the large Giddings and Lewis milling machine, shown here working a valve box (neg. 31495).

CHRYSLER CORPORATION MISSILE DIVISION



Another excellent machine tool is the Hydro-Tel, a profile mill which accurately follows a template (neg. 31584).

CHRYSLER CORPORATION MISSILE DIVISION



This view shows some of the huge presses available for parts work (neg. 31519).

CHRYSLER CORPORATION MISSILE DIVISION




Here are a few of the many types of welding equipment at the Michigan Missile Plant (neg. 31521).

CHRYSLER CORPORATION MISSILE DIVISION




This picture shows part of the large crew of sheet metal men who have hydraulic and drill presses, punches, shears, and hand formers at their disposal (neg. 31520).

CHRYSLER CORPORATION MISSILE DIVISION



Most missile parts are plated or coated with a protective finish in this facility (neg. 31518).

CHRYSLER CORPORATION MISSILE DIVISION




In addition to plating tanks, the plant has recently installed complete tank equipment for degreasing, as well as aluminum anodizing tanks (neg. 31570).

CHRYSLER CORPORATION MISSILE DIVISION



Another tank-type treatment available is chemical milling. With this equipment, selective etching of aluminum is achieved, as shown by this sample part (neg. 31552).

CHRYSLER CORPORATION MISSILE DIVISION



This department contains bending, forming, and other necessary equipment for fabricating all tubing for the missiles (neg. 31553).

CHRYSLER CORPORATION MISSILE DIVISION



In the Electrical Fabrication area, hundreds more skilled technicians are available for handling electrical sub-assemblies (neg. 31548).

CHRYSLER CORPORATION MISSILE DIVISION



Here is a representative group of assemblies completed by Electrical Fabrication personnel (neg. 31549).

CHRYSLER CORPORATION MISSILE DIVISION




This area, fully equipped with test instruments, checks out the electrical assemblies before they are installed as missile components (neg. 31550).

CHRYSLER CORPORATION MISSILE DIVISION



Another part of the Electrical Fabrication area is the cable fabrication group pictured here (neg. 31551).

CHRYSLER CORPORATION MISSILE DIVISION



The Engineering Shops and Prototype Laboratories constitute one of six engineering laboratory sections. In this area, prototype and full scale mockup missiles, assemblies, and parts are fabricated and tested.

CHRYSLER CORPORATION MISSILE DIVISION




In the Electrical Laboratories, engineers, physicists, and technicians are well versed in the areas of radio frequency, telemetry, instrumentation, and calibration (neg. 31575).

CHRYSLER CORPORATION MISSILE DIVISION



In this high-pressure test room – one of the many facilities of the Mechanical Laboratories – pneumatic systems of all missile components are checked out (neg. 31578).

CHRYSLER CORPORATION MISSILE DIVISION




Specialists calibrate a gyro-stabilized platform on a planetary test stand in one area of Guidance and Control Laboratories. Here, hand-picked engineer-technician teams develop systems for delivering the "punch" on target (neg. 31579).

CHRYSLER CORPORATION MISSILE DIVISION



To insure maximum product reliability the Materials Laboratories perform qualification testing of all materials used in missiles and ground support equipment (neg. 31580).


CHRYSLER CORPORATION MISSILE DIVISION



Structure checks under simulated flight conditions are carried on with this launching pad built for Structures Laboratories. With other special facilities, testing of shock, vibration and temperature effect is also regularly performed by the hundreds of trained men in this section (neg. 31581).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



JUPITER IS BUILT UP AS THREE MAIN PARTS. On the aft or top section, the first step – after the half-round sheet metal pieces are welded into a cone – is to trim the "skins" section on this rotary fixture (neg. 31503).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



Workmen on assembly stands then apply their skill to completing details on this section by routing out four large holes. (neg. 31505).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



Here a metal circle or skirt has been welded on the base of the upper piece. This large special machine automatically drills and rivets support rings inside diameter of the cone (neg. 31513).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



With metal work completed on the aft section, instrumentation, installation, and finish buildup are handled assembly-line fashion, on a row of stands (neg. 31506).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



The center section of the JUPITER is also made up of skin sections. In this picture, two semicircles are heliarc-welded to form one of the sections on a huge specially-made jig (neg. 31507).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



Support rings, or Z-segments for the skin sections, are trimmed to length with a power saw (neg. 31510).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



Two workmen rivet in a Z-ring on the shortest of the seven skin sections (neg. 31515).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



On the larger skins, assembly crews install vertical support brackets as well as Z-rings (neg. 31504).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



A big radial drill is brought into use to provide holes for joining Skin 1 to the aft section (neg. 31557).


CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



For extra strength, this roller fixture has been set up to spot weld the Z-rings to the skin (neg. 31502).


CHRYSLER CORPORATION MISSILE DIVISION



Then the completed skins are trimmed to correct length with this special rotating setup

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



To serve as internal separating walls, spherical-shaped bulkheads like these are formed and welded inside two of the skin sections (neg. 31512).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



A supporting structure and other components are welded into the bulkhead (neg. 31556).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



On his high platform a welder seals two halves together to make up the third bulkhead, this one a conical shape. For the longitudinal weld, the piece is moved forward on a dolly by the man below. (neg. 31555).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



Another special fixture provides the means for routing out a flanged hole in the bulkhead (neg. 31516).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



With welding torches lighted, assembly men complete the building up of the conical bulkhead. They use a swing-out welding arm (neg. 31499).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



Using the swingout arm, men in a specially-constructed stand weld test sample skin section (neg. 31501).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



After the test samples prove satisfactory, the welding arm swings over to seal the skin sections, 1 through 7, into a long, cylindrical section (neg. 31522).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



For the tail section a corrugated skin is used. It is cut to length and width in the manner shown here (neg. 31511).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



On this intricate framework, assemblers rivet together the many support rings and frame for the tail section (neg. 31508).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



Next, the corrugated skin is applied over the ring frame and the required openings in the skin are cut out (neg. 31509).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



With basic shells completely assembled, crew men concentrate on joining the center and tail sections. They first use optical scopes to align the two, then rivet them together as shown (neg. 31554).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



Fuel suction lines and vent pipe are assembled by this team (neg. 31514).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



These men hoist a fixture into the JUPITER shell to assure mounting of the suction lines in the exact longitudinal center of the missile (neg. 31498).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



In the final assembly area, optical sighting equipment is again employed to ascertain perfect alinement. Adjustment is done electronically by the man at the control panel; relay setup on the dolly's base (right center) answers his signals (neg. 31560).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



This view shows the final assembly line of the JUPITER, where the inside components are assembled and the aft nose section is joined to the missile (neg. 31568).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



Engine in place, this JUPITER receives installation of all electrical and mechanical components.

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--JUPITER



The completed missile undergoes its final checkout. Every operating part is thoroughly tested in this severe check (neg. 31564).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--JUPITER



Following satisfactory completion of testing, JUPITER is loaded onto a custom-made trailer for shipping (neg. 31530).


CHRYSLER CORPORATION MISSILE DIVISION



And here it goes, on its way to -- Cape Canaveral?

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--REDSTONE



In another assembly area, the REDSTONE missile is also put together as three separate sections. Here, on the left, technicians make up the skin frame for the aft section, while at the right men are fashioning the nose cone (neg. 31532).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



Framework for the tactical body is built up on this elaborate fixture by a skilled team (neg. 31569).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



Nose cone and aft section for the REDSTONE consist of 8 longitudinal strips welded together around their frames. Men here finish up assembly of the skin section for the complete tactical body, or aft section of the missile (neg. 31533).

CHRYSLER CORPORATION MISSILE DIVISION


Assembly Operations--REDSTONE



Another crew meanwhile has fabricated component parts for the top (neg. 31534).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



Some ready-to-assemble component parts are grouped here. They include the instrument panel door, payload support rings, door, and cone support. Dark parts are the vane drive assembly (neg. 31571).


CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



Another team builds up a pressure bulkhead, which is to be installed in the center of the aft section (neg. 31583).


CHRYSLER CORPORATION MISSILE DIVISION



Vane drive assemblies are next installed as the aft section rests on a stout assembly stand (neg. 31572).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



On another made-to-order assembly stand, technicians install instrumentation in the aft section (neg. 31574).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



The tactical body, now completed, is rolled from the paint booth after receiving its new coat (neg. 31546).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



This picture shows the sturdy angle plate fixture for drilling engine mount and spherical bolt holes to insure interchangeability and alignment between engine and top section (neg. 31540).


CHRYSLER CORPORATION MISSILE DIVISION



After the center section has been built up much the same as the aft part, electrical specialists install the harness assemblies (neg. 31541).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



When the engine has been installed, the already-constructed tail section is assembled. Alinement is carefully checked with optical scope for this critical operation (neg. 31585).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



REDSTONE undergoes its final checkout before taking its place as a powerful addition to America's arsenal of defense weapons (neg. 31565).

CHRYSLER CORPORATION MISSILE DIVISION

Assembly Operations--REDSTONE



Here is the REDSTONE, completely assembled and painted (neg. 31544).

CHRYSLER CORPORATION MISSILE DIVISION


Ground Support Equipment--JUPITER



Racks used to hold electrical console units for ground support equipment are formed in the Welding Department.

CHRYSLER CORPORATION MISSILE DIVISION

Ground Support Equipment--JUPITER



Normalizing, or relieving metal stress caused by mill running and welding, is accomplished by baking the racks at 1000° F for 1 hour. The racks are first placed in these forms which are then lowered into cylindrical ovens.

CHRYSLER CORPORATION MISSILE DIVISION


Ground Support Equipment--JUPITER



This is the final assembly area for JUPITER mobile and RIM area launching console racks. Electrical components are installed in the racks after they have been fitted into equipment trailers.

CHRYSLER CORPORATION MISSILE DIVISION

Ground Support Equipment--JUPITER



Fault isolation trailers, seen here in final assembly, are used for countdown checkout and centralizing of fault or error within the ground support unit.

CHRYSLER CORPORATION MISSILE DIVISION


Ground Support Equipment--JUPITER



Electrical components are installed in an electrical equipment trailer in the final assembly area.

CHRYSLER CORPORATION MISSILE DIVISION


Ground Support Equipment -- JUPITER



This is the final assembly area for auxiliary launching rings.

CHRYSLER CORPORATION MISSILE DIVISION

Ground Support Equipment -- JUPITER



Once assembly is completed, the auxiliary launching ring is given a pneumatic test at 3,000 psi.

CHRYSLER CORPORATION MISSILE DIVISION

Ground Support Equipment -- JUPITER



This 30-watt generator, which is assembled at Chrysler Missile Division, supplies all the power for lighting, at the launching site.

Return to Document Cover

Return to Page 14 Appendix B: